## How to Stop Bleeding without a Hospital

Charles Bruen, MD

resusreview.com/emtu16










## 















FEAR

STERLE R

Loss of Sterifity potentially poses a risk of infection

## CEL FX RAPID

Hemostatic Z-fold Gauze

9g Activated Chito-R™ on a Rapid Packing\* Gauze Strip

**Stops Bleeding Fast\*** 

DRESSING INDICATED TO CONTROL MODERATE TO SEVERE BLEEDING

NSN: 6510 99 184 6453



FOR TEMPORARY EXTERNAL USE Instructions For Use On Back Of Pack



\*Laboratory testing has shown that Celox Rapid Gauze could be rapidly packed on the wound on average within half the time of the predicate devices. Has been proven in laboratory trials to stop major arterial bleeding by coagulating the blood within 1 minute, reducing blood loss. Data for all claims is on file at Meditade.

STERILE PR

◀ TEAR HERE

TEAR HERE

## CELFX

Hemostatic Granules

CONTROLS MODERATE-TO-SEVERE BLEEDING PROMOTES RAPID COAGULATION

Temporary Traumatic Wound Treatment

WORKS IN HYPOTHERMIC CONDITIONS
CLOTS HEPARINIZED BLOOD

15g / 0.5 oz

Sterile - Unless pouch is damaged or open Loss of sterility potentially poses a risk of infection









Not Made With Natural Rubber Lates

FOR EMERGENCY EXTERNAL USE INSTRUCTIONS FOR USE ON BACK



36 INCH 91.4 cm

WT 4 OZ | 113.4 B

MAKE A C-CURVE FOR STRENGTH

--

--

-- 8



DOUBLE LAYER WRIST SPLINT



SUGAR TONG ARM SPLINT



ANKLE STIRRUP SPLINT

